



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



NBSTSA-CST Dumps
NBSTSA-CST Braindumps
NBSTSA-CST Real Questions
NBSTSA-CST Practice Test
NBSTSA-CST Actual Questions



killexams.com

NBSTSA

NBSTSA-CST

Certified Surgical Technologist 2024

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/NBSTSA-CST>



Question: 1272

You are preparing for a surgical procedure and must ensure that all electrical equipment is functioning properly. Which of the following checks is most crucial for preventing electrical hazards?

- A. Inspecting the equipment for visible damage only
- B. Ensuring all equipment is plugged in correctly and grounding is intact
- C. Testing equipment only when there are reported issues
- D. Ignoring manufacturer instructions for setup

Answer: B

Explanation: Ensuring all equipment is plugged in correctly and that grounding is intact is crucial for preventing electrical hazards and ensuring safe operation.

Question: 1273

When performing the surgical scrub, what specific area often requires additional attention to detail to ensure thorough cleaning?

- A. Under the nails
- B. The wrists
- C. The back of the hands

D. The palms of the hands

Answer: A

Explanation: Under the nails often requires additional attention during the surgical scrub as it can harbor bacteria and contaminants that need to be removed.

Question: 1274

In the context of robotic-assisted surgery, which of the following advantages does this technique offer compared to traditional laparoscopic methods?

- A. Enhanced dexterity and precision
- B. Increased risk of complications
- C. Longer operative times
- D. Higher costs

Answer: A

Explanation: Robotic-assisted surgery offers enhanced dexterity and precision due to the articulated instruments and 3D visualization, which can improve surgical outcomes compared to traditional laparoscopic methods.

Question: 1275

What should the surgical technologist do if they notice that a patient is positioned in a way that could lead to pressure ulcers during a lengthy procedure?

- A. Wait until the end of the procedure to make adjustments
- B. Inform the anesthesiologist of the concern
- C. Adjust the patient's position immediately and safely
- D. Document the concern in the surgical notes

Answer: C

Explanation: Adjusting the patient's position immediately is crucial to prevent the development of pressure ulcers, which can lead to additional complications.

Question: 1276

In preparation for a laparoscopic procedure, which of the following interventions is essential for maintaining a sterile environment during instrument setup?

- A. All instruments should be placed in a stack for easy access.
- B. Instruments should be set up prior to the patient's arrival.
- C. All non-sterile team members should be excluded from the room.
- D. The scrubbed surgical technologist should avoid touching any non-sterile items.

Answer: D

Explanation: A scrubbed surgical technologist must avoid touching non-sterile items to maintain the sterile field and prevent contamination during the procedure.

Question: 1277

During the removal of surgical drapes post-operation, which of the following techniques is recommended to minimize the risk of contamination?

- A. Pulling the drapes off quickly in one motion
- B. Folding the drapes inward towards the patient
- C. Removing the drapes from the head of the bed first
- D. Allowing the surgical team to assist in a coordinated manner

Answer: D

Explanation: Allowing the surgical team to assist in a coordinated manner ensures that drapes are removed methodically, reducing the risk of contamination and maintaining a sterile environment.

Question: 1278

When classifying surgical wounds, which of the following best describes a wound that is deliberately created under sterile conditions but involves the entry of a hollow organ into the surgical field?

- A. Clean wound
- B. Clean-contaminated wound
- C. Contaminated wound
- D. Infected wound

Answer: B

Explanation: A clean-contaminated wound is created under sterile conditions but involves entry into a hollow organ, increasing the risk of contamination.

Question: 1279

In a postoperative discussion, the surgical team addresses the need for improved communication regarding medication administration. What is the most effective strategy to enhance this communication?

- A. Establishing a standardized medication checklist
- B. Relying on verbal communication alone
- C. Limiting discussion to only the anesthesia provider
- D. Ignoring past communication failures

Answer: A

Explanation: A standardized checklist improves clarity and ensures all team members are aware of the medications administered during the procedure.

Question: 1280

After assembling the sterile instruments for a procedure, the surgical technologist notices that one of the instruments is not functioning properly. What should be done next?

- A. Ignore the issue and proceed with the surgery
- B. Inform the surgeon and prepare to replace it with a new instrument
- C. Attempt to fix the instrument during the procedure
- D. Wait until the procedure is over to report the issue

Answer: B

Explanation: The surgical technologist should inform the surgeon and prepare to replace the non-functioning instrument, ensuring that the surgical procedure can proceed safely and effectively.

Question: 1281

In the event of a sudden drop in the patient's blood pressure during surgery, which action should the surgical technologist prioritize to assist the surgical team effectively?

- A. Apply a tourniquet to the limb
- B. Initiate cardiopulmonary resuscitation (CPR)
- C. Ensure the patient is in a supine position
- D. Notify the anesthesia provider immediately

Answer: D

Explanation: A sudden drop in blood pressure can indicate a critical situation. The surgical technologist should notify the anesthesia provider immediately, as they can assess the need for interventions such as fluid resuscitation or medication adjustments.

Question: 1282

When evaluating the effectiveness of sterilization methods, which of the following indicators provides the most reliable confirmation that an item has been adequately sterilized?

- A. Chemical indicator tape
- B. Visual inspection of the item
- C. Physical monitoring of sterilizer parameters
- D. Biological indicator

Answer: D

Explanation: Biological indicators provide the most reliable confirmation of sterilization efficacy by demonstrating that viable microorganisms have been killed during the process.

Question: 1283

During a bilateral oophorectomy, which anatomical structure must be carefully dissected to avoid hemorrhage?

- A. Ovarian artery
- B. Ureter
- C. Round ligament
- D. Fallopian tube

Answer: A

Explanation: The ovarian artery supplies blood to the ovaries and must be meticulously ligated to prevent significant hemorrhage during oophorectomy.

Question: 1284

A surgical technologist is tasked with setting up a bovie pad for an

electrosurgical procedure. Which of the following is the most critical consideration to ensure patient safety?

- A. Place the pad on an area with excessive hair
- B. Ensure the pad is connected to the electrosurgical unit
- C. Apply the pad to an area close to the surgical site
- D. Make sure the pad is placed on the patient's arm

Answer: B

Explanation: Ensuring that the bovie pad is properly connected to the electrosurgical unit is critical for effective and safe operation. Incorrect placement can lead to burns or ineffective coagulation.

Question: 1285

In preparation for a surgical procedure, a surgical technologist is tasked with calculating the appropriate dosage of a medication based on a ratio of 1:500,000. If the surgeon orders 10 mL of this medication, how many milligrams does this represent?

- A. 0.02 mg
- B. 0.1 mg
- C. 20 mg
- D. 2 mg

Answer: D

Explanation: A 1:500,000 ratio means there is 1 mg in 500 mL. Therefore, in 10 mL, there would be $(10 \text{ mL} \times 1 \text{ mg}) / 500 \text{ mL} = 0.02 \text{ mg}$, which is incorrect. The correct calculation should yield 2 mg for 10 mL.

Question: 1286

When preparing to initiate suction during a procedure, what is the most important aspect the surgical technologist must confirm about the suction apparatus?

- A. That it is turned off until needed
- B. That the suction canister is properly connected and secured
- C. That it has an adequate supply of sterile fluid
- D. That it is located within easy reach of the surgeon

Answer: B

Explanation: Confirming that the suction canister is properly connected and secured is crucial to ensure the suction apparatus functions correctly when needed, minimizing delays during surgery.

Question: 1287

As part of the pre-operative checklist, what is the most important aspect to verify regarding the operating room's suction system?

- A. That the suction canister is full
- B. That the suction pressure is set to a high level
- C. That the suction is located near the surgical table
- D. That the suction tubing is free of kinks and obstructions

Answer: D

Explanation: Ensuring that the suction tubing is free of kinks and obstructions is critical to guarantee effective suctioning during the surgical procedure.

Question: 1288

When preparing to assist with suturing, what key aspect must be communicated to the surgeon regarding the suture material being used?

- A. The color of the suture
- B. The expiration date of the suture
- C. The tensile strength of the suture material
- D. The brand of the suture

Answer: C

Explanation: Communicating the tensile strength of the suture material is crucial as it informs the surgeon about the suitability of the suture for the specific tissue being closed.

Question: 1289

When a medication dosage is calculated based on BSA and the patient has a BSA of 1.5 m^2 with a dosage of 100 mg/m^2 , what is the total amount of medication the patient should receive?

- A. 150 mg
- B. 200 mg
- C. 130 mg

D. 120 mg

Answer: A

Explanation: The total dosage is determined by multiplying the BSA by the dosage per square meter: $1.5 \text{ m}^2 \times 100 \text{ mg/m}^2 = 150 \text{ mg}$.

Question: 1290

Which of the following actions is considered inappropriate when disposing of contaminated sharps after a surgical procedure?

- A. Using a two-handed technique to dispose of needles
- B. Placing sharps in a puncture-resistant container
- C. Ensuring the container is clearly labeled and accessible
- D. Securing the lid of the sharps container tightly

Answer: A

Explanation: A two-handed technique increases the risk of needle-stick injuries; a one-handed technique should always be used to enhance safety during disposal.

Question: 1291

Which of the following statements about the use of a Bovie pad during electrosurgery is most accurate?

- A. It can be placed on any part of the body without consequence.

- B. Its placement is irrelevant as long as the active electrode is used correctly.
- C. It should be applied after the incision is made.
- D. It must be placed in proximity to the surgical site for effective grounding.

Answer: D

Explanation: The Bovie pad must be placed in proximity to the surgical site to ensure effective grounding and minimize the risk of burns or electrical injuries during electrosurgery.

Question: 1292

When preparing to irrigate a surgical site, which of the following solutions should be avoided, and why?

- A. Normal saline; it is safe and effective
- B. Sterile water; it can cause hemolysis of red blood cells
- C. Lactated Ringer's; it is isotonic and safe
- D. Dextrose solution; it provides nutrients

Answer: B

Explanation: Sterile water should be avoided for irrigation because it can cause hemolysis of red blood cells, leading to complications in the surgical site.

Question: 1293

In a case where a surgical team is preparing for a procedure involving a contaminated field, which infection control procedure is essential to uphold

aseptic technique?

- A. Use of sterile saline for irrigation
- B. Application of a sterile drape over the site
- C. Utilization of non-sterile gloves
- D. Frequent changing of the surgical gown

Answer: B

Explanation: A sterile drape is crucial in maintaining an aseptic field to prevent contamination from the surrounding environment, particularly in contaminated cases.

Question: 1294

During a surgical procedure, a patient suddenly becomes unresponsive. What is the first step you should take to ensure the safety of the patient and the effectiveness of the team response?

- A. Assume it is a temporary issue and continue with the procedure
- B. Check the patient's vital signs and alert the surgical team
- C. Leave the room to find additional help
- D. Wait for the anesthesiologist to respond

Answer: B

Explanation: Checking the patient's vital signs and alerting the surgical team immediately is critical for ensuring prompt intervention and maintaining patient safety.

Question: 1295

In the context of surgical preparation, when utilizing antiseptic solutions for skin preparation, which of the following statements is most accurate regarding the use of chlorhexidine gluconate?

- A. It should be applied in a circular motion from the incision site outward.
- B. It is contraindicated for use in patients with latex allergies.
- C. It is effective against both gram-positive and gram-negative bacteria.
- D. It requires a 3-minute drying time before draping.

Answer: C

Explanation: Chlorhexidine gluconate is a broad-spectrum antimicrobial agent effective against a variety of pathogens, making it a preferred choice for surgical site preparation.





KILLEXAMS.COM

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.

Exam Dumps: Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.

Practice Tests: Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.

Guaranteed Success: Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.

Updated Content: Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.

Technical Support: Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.