

QUESTIONS & ANSWERS

Kill your exam at first Attempt



Podiatry Lincense Exam Dumps
Podiatry Lincense Exam Braindumps
Podiatry Lincense Exam Real Questions
Podiatry Lincense Exam Practice Test
Podiatry Lincense Exam dumps free



Medical

Podiatry License Exam Part-III

Podiatry License Exam



<https://killexams.com/pass4sure/exam-detail/Podiatry-Lincense-Exam-Part-III>

Question: 309

What is the most common cause of a chronic turf toe?

- A. Hyperextension of the hallux
- B. Trauma
- C. Infection
- D. Neurological disorder

Answer: A

Question: 310

What is the most appropriate treatment for a patient with a chronic proximal phalanx dislocation?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

Answer: B

Question: 311

What is the most effective treatment for a patient with a chronic Morton's neuroma?

- A. Physical therapy
- B. Steroid injection
- C. Surgery
- D. Rest and ice

Answer: C

Question: 312

What is the most common cause of a chronic plantar plate tear?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

Answer: A

Question: 313

What is the most appropriate treatment for a patient with a chronic fifth metatarsal stress fracture?

- A. Immobilization
- B. Physical therapy
- C. Steroid injection
- D. Surgery

Answer: A

Question: 314

What is the most effective treatment for a patient with a chronic medial tibial stress syndrome?

- A. Physical therapy
- B. Immobilization
- C. Surgery
- D. Rest and ice

Answer: B

Question: 315

What is the most common cause of a chronic interdigital neuroma?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

Answer: A

Question: 316

What is the most appropriate treatment for a patient with a chronic talus fracture?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

Answer: B

Question: 317

What is the most effective treatment for a patient with a chronic sesamoid stress fracture?

- A. Physical therapy
- B. Immobilization
- C. Surgery
- D. Rest and ice

Answer: B

Question: 318

What is the most common cause of a chronic lateral column overload syndrome?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

Answer: A

Question: 319

What is the most appropriate treatment for a patient with a chronic Lisfranc dislocation?

- A. Physical therapy
- B. Surgery
- C. Immobilization
- D. Rest and ice

Answer: B

Question: 320

What is the most effective treatment for a patient with a chronic hallux limitus?

- A. Physical therapy
- B. Steroid injection
- C. Surgery
- D. Rest and ice

Answer: C

Question: 321

What is the most common cause of a chronic medial column overload syndrome?

- A. Overuse
- B. Trauma
- C. Infection
- D. Neurological disorder

Answer: A



For More exams visit <https://killexams.com/vendors-exam-list>

